

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2010 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

NORTH MISSISSIPPI UTILITY COMPANY Public Water Supply Name

LAKE OF THE HILLS(0170029) BRIGHTS(0170002) EUDORA(0170006) CHICKASAW BLUFF(0170028) List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Please	Answer the Following Questions Regarding the Consumer Confidence Report
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	☐ Advertisement in local paper ☐ On water bills ☐ Other_
	Date customers were informed:/_/
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
_/	Date Mailed/Distributed: / /
X	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) Name of Newspaper: DESOTO TIMES-TRIBUNE
	Date Published: 6 / 7 / 2011
	CCR was posted in public places. (Attach list of locations)
	Date Posted: / /
	CCR was posted on a publicly accessible internet site at the address: www
CERTI	FICATION
COMPIPION	certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in and manner identified above. I further certify that the information included in this CCR is true and correct and is ent of Health Bureau of Public Water Supply.
Z/J/ Name/T	itle (President, Mayor, Owner, etc.)
- - ·	Dale
	Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

570 East Woodrow Wilson • Post Office Box 1700 • Jackson, Mississippi 39215-1700 601/576-7634 • Fax 601/576-7931 • www.HealthyMS.com



2010 Drinking Water Quality Report North Mississippi Utility Company

Brights (0170002) Eudora (0170006) Chickasaw Bluffs (0170028) Lake of the Hills (0170029)

Corrected

Is my water safe?

Last year, as in years past, your tap water met all U.S. Environmental Protection Agency (EPA) and state drinking water health standards. Local Water vigilantly safeguards its water supplies and once again we are proud to report that our system has not violated a maximum contaminant level or any other water quality standard.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from?

Our water comes from three wells from the Sparta Sand Aquifer for Brights, two wells from Sparta Sand Aquifer and one well from Lower Wilcox Aquifer for Eudora, two wells from the Sparta Sand Aquifer for Chickasaw Bluffs and two wells from the Sparta Sand Aquifer for Lake of the Hills

Source water assessment and its availability

Currently, our source water assessment is being prepared by the Mississippi State Department of Health. When it is completed you will be notified and copies of this assessment will be made available upon request.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791). The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity: microbial contaminants, such as viruses and bacteria, that

may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses; organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

How can I get involved?

We want our valued customers to be informed about their water utility. If you would like a copy of the Consumer Confidence Report for your area, please come by our office at 1481 Byhalia Rd. Our office hours are 8 AM to Noon and 1 Pm to 4:30 PM Monday through Friday.

Other Information

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2010 - December 2010. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice.

Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. The Bureau of Public Water Supply is taking action to resolve this issue as quickly as possible. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601-576-7518.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. North Mississippi Utility Company is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Water Quality Data Table – Brights (017002)

	MCLG	MCL,						e e e e e e e e e e e e e e e e e e e
	or	TT, or	Your	Ra	inge	Sample		
<u>Contaminants</u>	MRDLG	MRDL	<u>Water</u>	Low	<u>High</u>	<u>Date</u>	<u>Violation</u>	Typical Source
Disinfectants & Dis	infection By	-Product	S					
(There is convincing	evidence tha	t addition	of a disinf	ectant is	necessa	ry for cor	ntrol of mic	robial contaminants.)
Chlorine (as Cl2) (ppm)	4	4	1.53	1.12	1.93	2010	No	Water additive used to control microbes
Inorganic Contamir	iants							
Antimony (ppb)	6	6	0.0005	NA		2010	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder; test addition.
Arsenic (ppb)	0	10	0.0005	NA		2010	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
Barium (ppm)	2	2	0.018821	NA		2010	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Beryllium (ppb)	4	4	0.0001	NA		2010	No	Discharge from metal refineries and coal-burning factories; Discharge from electrical, aerospace, and defense industries
Cadmium (ppb)	5	5	0.0001	NA		2010	No	Corrosion of galvanized pipes; Erosion of natural deposits; Discharge from metal refineries; runoff from waste batteries and paints
Chromium (ppb)	100	100	0.0003	NA		2010	No	Discharge from steel and pulp mills; Erosion of natural deposits
Cyanide [as Free Cn] (ppb)	200	200	0.005	NA		2010	No	Discharge from plastic and fertilizer factories; Discharge from steel/metal factories
Fluoride (ppm)	4	4	1.5	NA		2010	No	Erosion of natural deposits; Water

								additive which promotes strong teeth; Discharge from fertilizer and aluminum factories
	Mercury [Inorganic] (ppb)	2	2	0.0002	NA	2010	No	Erosion of natural deposits; Discharge from refineries and factories; Runoff from landfills; Runoff from cropland
	Nitrate [measured as Nitrogen] (ppm)	10	10	0.35	NA	2010	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
	Nitrite [measured as Nitrogen] (ppm)	1	1	0.02	NA	2010	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
	Selenium (ppb)	50	50	0.0005	NA	2010	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines
	Thallium (ppb)	0.5	2	0.0005	NA	2010	No	Discharge from electronics, glass, and Leaching from ore-processing sites; drug factories
12		77.0403922565546			151506000000000000000000000000000000000			

			Your	Sample	# Samples	Exceeds	
<u>Contaminants</u>	<u>MCLG</u>	<u>AL</u>	<u>Water</u>	<u>Date</u>	Exceeding AL	<u>AL</u>	<u>Typical Source</u>
Inorganic Contaminants							
Copper - action level at consumer taps (ppm)	1.3	1.3	1.3	2007	0	No	Corrosion of household plumbing systems; Erosion of natural deposits
Lead - action level at consumer taps (ppb)	0	15	0.002	2007	0	No	Corrosion of household plumbing systems; Erosion of natural deposits

Water Quality Data Table – Eudora (0170006)

The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done in the calendar

year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the NORTH MS UTILITY_EUDORA is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year that average fluoride samples were within the optimal range of 0.7-1.3ppm was 9. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 75%.

	MCLG	MCL,						
	or	TT, or	Your	Ra	nge	Sample		
<u>Contaminants</u>	MRDLG	MRDL	<u>Water</u>	Low	<u>High</u>	<u>Date</u>	<u>Violation</u>	Typical Source
Disinfectants & Dis	infection By-	Product	IS.					
(There is convincing	evidence that	t addition	ı of a disinf	ectant is	necessa	ry for con	trol of mic	robial contaminants.)
Chlorine (as Cl2) (ppm)	4	4	1.33	1.25	1.4	2010	No	Water additive used to control microbes
Haloacetic Acids (HAA5) (ppb)	NA	60	6	NA		2010	No	By-product of drinking water chlorination
TTHMs [Total Trihalomethanes] (ppb)	NA	80	1.67	NA		2010	No	By-product of drinking water disinfection
Inorganic Contamir	iants							
Antimony (ppb)	6	6	0.0005	NA		2010	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder; test addition.
Arsenic (ppb)	0	10	0.000246	NA		2010	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
Barium (ppm)	2	2	0.0072	NA		2010	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Beryllium (ppb)	4	4	0.0001	NA		2010	No	Discharge from metal refineries and coal-burning factories; Discharge from electrical, aerospace, and defense industries
Cadmium (ppb)	5	5	0.0001	NA		2010	No	Corrosion of galvanized pipes; Erosion of natural deposits;

							Discharge from metal refineries; runoff from waste batteries and paints
Chromium (ppb)	100	100	0.0005	NA	2010	No	Discharge from steel and pulp mills; Erosion of natural deposits
Cyanide [as Free Cn] (ppb)	200	200	0.005	NA	2010	No	Discharge from plastic and fertilizer factories; Discharge from steel/metal factories
Fluoride (ppm)	4	4	1.31	NA	2010	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories
Mercury [Inorganic] (ppb)	2	2	0.0002	NA	2010	No	Erosion of natural deposits; Discharge from refineries and factories; Runoff from landfills; Runoff from cropland
Nitrate [measured as Nitrogen] (ppm)	10	10	0.08	NA	2010	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Nitrite [measured as Nitrogen] (ppm)	1	1	0.02	NA	2010	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Selenium (ppb)	50	50	0.0005	NA	2010	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines
Thallium (ppb)	0.5	2	0.0005	NA	2010	No	Discharge from electronics, glass, and Leaching from ore-processing sites; drug factories

Contaminants	<u>MCLG</u>	<u>AL</u>	Your <u>Water</u>	Sample <u>Date</u>	# Samples Exceeding AL	Exceeds AL	Typical Source
Inorganic Contaminants Copper - action level at consumer taps (ppm)	s 1.3	1.3	0	2008	10	No	Corrosion of household plumbing systems; Erosion of natural deposits
Lead - action level at consumer taps (ppb)	0	15	0.001	2008	0	No	Corrosion of household plumbing systems; Erosion of natural deposits

Water Quality Data Table - Chickasaw Bluffs (0170028)

The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently.

	MCLG	MCL,						
	or	TT, or	Your	Ra	ange	Sample		
<u>Contaminants</u>	MRDLG	MRDL	Water	Low	High	<u>Date</u>	<u>Violation</u>	Typical Source
Disinfectants & Disi	infection By-	Products						
(There is convincing	evidence that	addition o	of a disir	nfectant	is neces	sary for con	ntrol of mic	robial contaminants.)
Haloacetic Acids (HAA5) (ppb)	NA	60	6	NA		2010	No	By-product of drinking water chlorination
TTHMs [Total Trihalomethanes] (ppb)	NA	80	1.67	NA		2010	No	By-product of drinking water disinfection
Chorine as (C12) (ppm	4	4	1.35	1.30	1.37	2010	No	Water additives added to control microbes

			Your	Sample	# Samples	Exceeds	
<u>Contaminants</u>	MCLG	<u>AL</u>	Water	<u>Date</u>	Exceeding AL	<u>AL</u>	Typical Source
Inorganic Contaminants	2 (2000) - 10 (2000) (10 (2000) - 10 (2000) (
Copper - action level at consumer taps (ppm)	1.3	1.3	0.1	2008	10	No	Corrosion of household plumbing systems; Erosion of natural deposits
Lead - action level at consumer taps (ppb)	0	15	0.006	2008	0	No	Corrosion of household plumbing systems; Erosion of natural deposits

Chemical, Bateriological and CCR Violation
Monitoring period 9/01/2010-09/30/2010 Contaminant Coliform- Public Notice Completed

Water Quality Data Table – Lake of the Hills (0170029)

	MCLG	MCL,					general control of the control of th
	MCEG						
	or	TT, or	Your	Range	Sample		
<u>Contaminants</u>	MRDLG	MRDL	Water	Low Hig	<u>h Date</u>	Violation	Typical Source
Disinfectants & Disir	nfection By	-Product	\$				
(There is convincing a	evidence tha	it addition	of a disir	nfectant is nec	essary for con	trol of mi	crobial contaminants.
	100						
Haloacetic Acids (HAA5) (ppb)	NA	60	6	NA	2010	No	By-product of drinking water chlorination
TTHMs [Total Trihalomethanes] (ppb)	NA	80	1.67	NA	2010	No	By-product of drinking water disinfection
Chlorine (asC12)	4	4	1.36 1	.32 1.41	2010	No	Water additives used to control
(ppm)							microbes

			Your	Sample	# Samples	Exceeds	
Contaminants	MCLG	<u>AL</u>	<u>Water</u>	<u>Date</u>	Exceeding AL	AL	Typical Source
Inorganic Contaminants							
Copper - action level at consumer taps (ppm)	1.3	1.3	0	2008	10	No	Corrosion of household plumbing systems; Erosion of natural deposits
Lead - action level at consumer taps (ppb)	0	15	0.001	2008	0	No	Corrosion of household plumbing systems; Erosion of natural deposits

Unit Descriptions	Unit Descriptions									
<u>Term</u>	<u>Definition</u>									
ppm	ppm: parts per million, or milligrams per liter (mg/L)									
ppb	ppb: parts per billion, or micrograms per liter (μg/L)									
NA	NA: not applicable									
ND	ND: Not detected									
NR	NR: Monitoring not required, but recommended.									

Important Drinking Water I	Definitions .
<u>Term</u>	<u>Definition</u>
MCLG	MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
MCL	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
TT	TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.
AL	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
Variances and Exemptions	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.
MRDLG	MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL	MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MNR	MNR: Monitored Not Regulated
MPL	MPL: State Assigned Maximum Permissible Level

*****This CCR will not be mailed to each individual customer. You may at anytime come by our office to receive a copy

For more information please contact:

P O Box 362

Hernando, MS 38632

662-429-9509

662-429-6202



PROOF OF PUBLICATION

THE STATE OF MISSISSIPPI COUNTY OF DESOTO

Diane Smith personally appeared before me the undersigned in and for said County and State and states on eath that she is the CLERK of the DeSoto Times-Tribune, a newspaper published in the town of Hernando, State and County aforesaid, and having a general circulation in said county, and that the publication of the notice, a copy of which is hereto attached, has been made in said paper / consecutive times, as follows, to-wit:



North Mississippl Utility Company			Volume No. //Co
Brights (0170002) Eudora (0170006)	Series Debug (1) bell (2) Jet in Debug bei bei gestellt (2) bei	Water Quality Data Table - Chickenage Skuffs (0176028). Throst lets to did to detail our receives as a found may foreignly our of	Volume No.
Chickasaw Bloffs (0170028) Lake of the Hills (0170029)	New Journal of B 10 107 St. 200 Sp. Boot just printered; New Justine 10 Sp.	The lattle below for all of the ficking was common that we down all any for calculating or all the way. The proposed complements for the contract annual to design the first proper of the	Volunte reo.
So may maked make!	State Land Control Con	(a) the Proposition of the contract of the base is seen.	Volume No
Last part, he in your part, yest the many not all U.S. Intersection between eighting (LEA) and note drawing many house manusch. Local Water righting uniquents in many regions and not region are not your growth or agree during on operate but any righting of manimum consequent legal or any many many.	Street pro		Volume No.
nor proof to expect that our system but our registed a speciment consequent lead at any state quarter, specify compared to register received in reconstruct. Due to not regal a received in reconstruct.	Martin part 8 M Albert 14 July for Delayable particular		Vojaina ivo.
year, boddy was he want september in consequently in quantities what then the belong belonging	Defending to 1 the same and the designation of the same and the same a		V.Volume No
amment comprehence protects such as persons with dispot melanguage glocustinance; proping with their analyzance region transplants, people with HEVARES or solar instance cytique discretion; some chiefle, and actions are to persicularly as rail, from their inflations. These people shreak such ash too observed upon their justice.	P. In Co.		Volume No
here porçãe any he mer redespuis le contaminar in desting unit due the passed populari- lament expressive (parte en este à perious tell quice métapus; glocathungs; general qui base endappus qui a median, model un del Michael in the sineme que que discus; que celeja à autou can la particular je and peut destinant; a com projet destin voi, hair e alone delaige une financiar de la particular je and peut destinant. Teno projet destin voi, hair e alone delaige une financiar del particular je and peut destinant. Teno projet destin voi, hair e alone delaige une la financiar del particular del particular del peut del peut del peut del mensament un model de la financiar le financiar del peut del		## * * * * * * * #	· · · · · · · · · · · · · · · · · · ·
When don as warr own lines.	Commission U. S. S. St. V. S. Commission	This Cod N. B. (6 %) 20 to Symbol Melly and Code No. (6 %)	(/);
the nate come from their with from the Spots hand Applies by Rophi, two well, from Spots Sand, Applies and wite well finds Laws (Nove, Applies for Eaking, two wells from the Spots Sand Applies for Challance No. Sand two wells from the Spots Sand Applies for this of the 1826.	and the second s	Company of the second control of	Vand
Source ander ancounted and its analysisky			
Currently, our moves water assessment is being proposed by the Minimipey likes. Deposition of Highli- likess it is completed you will be assisted and copies of the succession will be preduced the great request.		Communication U U U SP SP SP In Communication of the Communication of th	
With are steen management in any detailing unner?	Water Quality Data Table - Europa (0170008)	Market . P. C. E S. Controller	
One of the state o	Herefore the Parish Sand Annual Control of Activities and in Manaca Salah	Constal Restriction of COX Value Nation (DAY Service Cox Value) Nation (DAY Service Cox Value)	Sworn to and subscribed
deficient man (chair ap man and hardet parter) hadet elvery father, attempt, peris, convenir, agrings, and mal. A. sa and tipode and the serbar of the land or drough the prime, it describes manyly.	The second secon	- Remoting good (\$90,000 th 2000) Commission Californ Table price continue	
extends about and, in our case, indicates extend and on pick up subspace moving has for freezes of metals of free house activity; migratial committee, such as visues and beautifulful.		Water Guality Data Table - Lake of the Hills (0) (70029)	BY
may come from some protected plant quely spraces quicheste librared spraces que si might, we provide the some some since and an electric field in the street of spraces quely as sight, we provide the some some since and an electric field in the street of spraces and an electric configuration. All which they saw the sett of the some since an electric configuration and c	To enough to the Physician Comming Databases of Comming Water Suppley, in p. 20219 [4]. URLITY ELECTRA is required to speak consequently provides to Machineland days over grown. The combine of providing such provides your first proving Month trought your plains the spread required Na1-1-Japan to 9. The proving related to providing supplementary of Na1-1-Japan to 9. The province of Machineland is the province speaked to pro-	The purposes the state of the purposes of the state of the purpose of the state of the purpose o	NOTARY PUBLIC STATE
facing: peripides and harbitists, which may note from a variety of content and magnitudest, when some ware most, and revisional most oppose Chemical Communicate, including synthetic and website			MY COMMISSION EXPI BONDED THRU DIXIE N
case him per minor, letter stoke white model and spoke operary and configuration communities. **Since him security occurring or to the mode of oil and per production and public accordance. It order		of later in contribute from minimum is not deep integral.	
to comer that up unter a unit to first. If A promother exploitions that from the promot of costage contaminant in want provided by public metry systems. Food and Day Administration (DA) exploitive coloids less to reconstitute in building mater which must consider the same recursion for	in a ak in pining di 1-1 pa a 1%.		6×110
explosive control less for exceptants is botted unto which and provide the same proprise for public leads. Here can I pay insubsel?	79a		A. Single first insertion of
We want our valued consences to be informed stops that many mility. If you would like a copy of the Consenser Considerate Report for your arm, plane come by our office a 1961 blyingly like. Our office lower, are 1-64 to Frame and 1-fine to 1.04 th Membry through Printer.			Bsubsequent is
Other information			C. Making proof of publication
It accretions with the Professiolan Rafe, all assessmenty patter to page supplies over, supplies the supplie operated for authoristics beginning attention patterns, beginning and profession comply- ceptional supplies of a substantion features, and page as part and of the features page. Common of Professional Section (Institute Common and Common and Common (Institute Com	Action 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	The state of the s	TOTAL PUBLISHER'S
complated complete by the scheduled desilitate, between the large as sold of the left-shadood figure. Department of Realth Endological Realth Laborator, the Entergomental Protection Agency (EPA) separated with real recovery of registration completes associated and results are the lattice associated.		F	
Abborgh this was as the cred of forcine by the public wave rapply, ISCIDI was required to how a violation. The Burna of Public Plear Dopply is taking under to receive the force or quickly as popular. If you have may continue please required before public, Daylor Director, Burna of Public Vising Supply, a 1803-64-918.			
Li you have may question, planes contact likeling Pyther, Daying Distance, Barren of Pathic Winter Supply, at \$51-514.			Hwy. 51 South, Hernando,
Additional Information for Lond Hyperest, chested back of lead on come across health problems, openingly for increase some and	because had be par- plant a partie on	personner production of the contract of the co	
prong children. Lead in Gretting water in princely from materials and temperature associated with sometic from and immer planting, North Materialys (1985) Company to responsible for providing high material which the control commend for the form of materials and in administration comments. These	Personne I I (MIS D. 200 In Indian College Col		
Upwer, changed that of their concern come come point problems, optically let program seems and service from onlines globally, their placeholders (Concern law commission) and works from onlines globally, their placeholders (Concern law commission) are provided by provided as the commission of their placeholders and their placeholders are provided by the commission of their problems, but no commission of problems that provided by the commission of their problems, but no commission of problems that their placeholders are provided to the commission of their problems, but no commission of the commission of their commission of their placeholders are problems of the provided by the commission of their placeholders are provided to the commission of the commission of the commission of their commission of t		25 St. 10 St	
traing method, and step you pas take to makester exposure in residité français faut fait (Fyliche Kong. Hadise un at Obje (www.aga.gov/min.aga.kon).	Chamilton () 1 (1990 S) They be Commissioned.		
	Britan / Bartisper. State Spread of the and by the best but and by the best but		•
	Contempo St. No. 2005 St. Spill Nr. Description of the Contemporary of the Contemporar		
Water Quality Data Table - Brights (0170002) The table have been dieffer dealer your consistence desired designs calcular your C	Contribute 20 to 620 to 320 to Special territorial City of plant being b		
The table balow for all of the declarary was consistent to the selected design the colored your of the report. We provide of contamines to the value does not extend by subject to the year paints and the provided of the p	Handstoped 6 LC SA 559 No Seeme Count Space Flor ables this process true to College See Selfer and	ATT I there is no the first that it is not to be a second of the second	
your learners the construction of these construction for any change Importation.		A SECURE OF SECU	
Mile St. 1 Territor per Sent Lemma 1 STA STA TOP Let be 7th The Design	Story Designal 1, 1 Sept. 21, Nov. No. Super Special Sept. 10		
Learner Mills Mills Tax Let the Text Tax Let Learner		The state of the s	
Among light 5 & \$250 Mg. Sile 10 Disting the problem above.		E 2000000000000000000000000000000000000	
monte description of the second secon	Chipmonia I I III II IVI II Antimisistra	May be involved by any distriction as and any below assumed.	
impered bad in plan		Mary to head of the set of distances a communication and section a	
Beautypes 2 2 84/202 No. 2009 No. Declarged bring years (Geleny Sun and Sabeting Chain of years)	A R SEE AL RES TO THE PROPERTY OF THE PROPERTY		
Bryancept I I ESSE II 200 Sp Dates his sent stops and sent sent sent sent sent sent sent sent	The same of the sa	The CS of party metric and policies come. To any a surjection by	
Odennings 5 S Stand (KG) 2000 No. Common Cycles and page 5 Common Cyc			
Demonstra in in 1800 kg 200 kg Demonstration of the Communication of the		77	
produkte from 100 100 4100 NEC 2 2001 Ne Change has plant pair 4 1990 Select Nec (Change has plant)			
nelson to 1 1 1 10 20 to Security to			
and Contagn has facility in			

• .						
•	•				•	
•		•			•	•
	•					
•			liga nodit turde itt at			
	North Mississippi Utility Company Reghts (0170002) Eutora (0170006) Oniclasaw Bulls (0170018) Lake of the Inits (0170029)	many former () () was (). In a large particular section () and ()	Histor Canally Data Table - Chickman Glotta (0.75020). The in the last of the State on transmission of the State (0.75020). The interval and of the State on transmission of the State (1.5000) and the Stat	Volume No on the day of		
	It was a state each. Let you're an youth you're fay mean and A'CS. Independent Protection of gray, (173) and state and an analysis of the State of	applicated by a plant to the part of the p		Volume No on the day of Volume No on the day of		
	Some persylve any his more redeposable to assumationary his districting registre than the general projection. James overgreeched process with a process with district analysing districtions; program with two analysing range process, required and finished an electric control processing to make district, and the control his processing process. These persylve should not a belief up that indicates from this high love processing. The channel for filter than first filter processing in a support and the base for this of inciding by Comparations and such a machinal processing in a problem has the Seat Market Deal (Address DOS-SAS-PORT).	The second secon		V.volume No on the day of		
	When there may want tous from: Use not come from their form the form to be all Aprile to the flags, to you did providing the final Aprile to the come of their form to be reported for the first to the come of their form to the first form to the f			Vaine Smith		
	Not it is consisted use with a solid or in regard for exception still, you as coulding on region. The first control of the c	Prior Castly Dist Libra - Expos (OTTOO) The Castle District - Expos (OTTOO)	The second secon	Swom to and subscribed before me, this g day of C		
	any one throu way framenty allow, and sy same a place of the same approximate of the same and	Benegity in the "Systems Generally Registers of Committy Was Language (as (ASER) bit 1997). I Language (as (ASER) bit 1997). I Language in quantum content sprayments in the Confession of the committee of the Confession of the Co	Up the first of the delice and to converse from a formed print of the first own of the converse from t	NOTARY PUBLIC STATE OF MISSISSIPPI AT LARGE MY COMMISSION EXPIRES: JANUARY 16, 2013 BONDED THRU DIXIE NOTARY SERVICE, INCORPORATED		
	philip beath. Bern can i pg insight? Vent for the later of party by the party by	er or which produce of \$1 \tex		42.7. A. Single first insertion of words @ .0.2 \$ 42.7. B subsequent insertions of words @ .0.		
	Content Conferent Report for our execution county to or died a fall is helpful in the cells become of a fall is where all it has to \$100 likely through finite. Other information the content is the cells of the c	The second secon	Service of the Control of the Contro	C. Making proof of publication and deposing to same \$ TOTAL PUBLISHER'S FEE: \$	•	
	Although this was an the cred of lipacion by the prieffic stope rapid, MEDH has reported to lower whiteless. The Boston of PANE Water Lought is king unknown proceeds the most appealed the processor, prices control blefore Bylanc, Daylor Distance, Boston and Palific King Sample, 100 (547-791).	Personal Control of the Control of t		Hwy. 51 South, Hernando, MS 38632 • 662.429.6397 • Fax: 6		
	Upword, shr stand both of fault one come critics justiful problems, opticity for imposes terms and your chains. Leaf is bridge users in privacy from natural and imposess associated with a privacy from natural and imposess associated with a privacy problem of the problems of the problem	Amount 1 1 400 to the 2 months of the control of th				

2011 SEP 29 AM 8: 41

NORTH MISSISSIPPI UTILITY COMPANY P.O. BOX 279 • HERNANDO, MS 38632

						neturi Servici	e nequested _ '.nip .	
A	CCOUNT NO.		CUSTON	IER NO.	BILL DATE		Permit No. 1 Hemando, M	
7/1	010-0			7472	09/26/11	SERVICE AT:0675 BEN V	ORLICHS HEAD L13	
DAYS	SERV	ICE FRO	M		SERVICE TO	ACCOUNT NO.	CUSTOMER NO.	
31	08/	01/1	1	(09/01/11	7/1010-0	7472	
PF	REVIOUS		PRESEN	iT	CONSUMPTION	DELINQUENT DATE		
	192040 1950		5000	2960	/11			
S	ERVICE DE	SCRIP	TION		AMOUNT DUE	NET AMOUNT DUE	GROSS AMOUNT DUE	
WATE	R CHAR				14.50	17.30	22.30	
HEAL	TH DEPT	FEE			2.80	RETURN THIS PORTION WITH PAYMEN		
						,		
						CORRECTED COPY OF CCR AVAILABLE IN OFFICE		
IE PAID ON TIME DELINQUENT DATE			F AF	TER DELINQUENT DATE	WAYNE STEADMAN			

22.30

IMPORTANT INFORMATION ON BACK OF BILL

10/10/11

ելքիրիկիդիկիդիկիորժուկնոնեիյիլիկիսկիկիկիկ

3047 SCOTT RD

HERNANDO MS 38632-7516

2011 SEP 29 AM 8: 41

	P.O. BO	SISSIPPI OX 279 • HER	UTILI7 VANDO, M	TY COMPANY MS 38632		PRESORTED FIRST CLASS MAI U.S. POSTAGE		
	ACCOUNT NO. CUSTOME			BILL DATE	Return Service Requested PAID Permit No. 17			
8/2	465-0		7451	09/26/11	SERVICE AT	Hemando MS		
DAYS	SERVI	CE FROM		SERVICE TO	SERVICE ATOO BLUE LAKE DR L43			
31	00/0	0 /			ACCOUNT NO. CUSTOMER NO			
		2/11		09/02/11	8/2465-0	7451		
	REVIOUS	PRESI	NT	CONSUMPTION	DELINQUENT DATE			
	550040 55506			5020	10/10/11			
: , s	ERVICE DES	SCRIPTION		The second secon		11		
i		The second secon	ASSES ASSESS	AMOUNT DUE	NET AMOUNT DUE	GROSS AMOUNT DUE		
MATE	ICE FORW. CHAR			12.61	36.27 41.2			
HEALT	H DEPT	FEE		20.86 2.80	RETURN THIS PORTION WITH PAYMENT			
					CORRECTED COPY OF AVAILABLE IN OFFI	' CCR CE		
IF PAID	ON TIME	DELINQUENT DA	E AFT	ER DELINQUENT DATE	TIFFANY DAILEY			
	36.27	10/10/1		41.27				
	IMPORTANT	INFORMATIO	N ON BAC	500 BLUE LAKE SPR	INGS DR			

Մոխարական Արուգարական Արևական Արևական Արուգանի Արևան Ար

2011 SEP 29 AM 8: 4!

NORTH MISSISSIPPI UTILITY COMPANY P.O. BOX 279 • HERNANDO, MS 38632

				T	TIGROTTI OCTAIC	e nequesteu	1 0	
1	CCOUNT NO.	CUSTO	MER NO.	BILL DATE	1	•	Permit No. 17 Hemando, MS	
12/	3470-0		5654	09/26/11	SERVICE AT 65 HWY 30	1 S	-	
DAYS	SERVIC	E FROM		SERVICE TO	ACCOUNT NO.			
34	·	3/11		09/06/11	12/3470-0	/3470-0 5654		
PI	REVIOUS	PRESE	ENT	CONSUMPTION	DELINQUENT DATE			
	430680	4	34860	4180	10/10			
S	ERVICE DES	SCRIPTION		AMOUNT DUE	NET AMOUNT DUE	GROSS A	MOUNT DUE	
WATE				18.22	21.02		26.02	
HEAL.	TH DEPT	FEE	ĺ	2.80	RETURN THIS PORTION WITH PAYMENT			
				v.		-		
					CORRECTED COPY C AVAILABLE IN OFF			
IF PAID	ON TIME	DELINQUENT DA	TE AF	TER DELINQUENT DATE	JOHN GRESHEM			
	21.02	10/10/	11	26.02	765 HIGHWAY 301 S			
	IMPORTANT	T INCODMATIC	NI ON PA	CK OF DILL	LAKE CORMORANT M	_	-9653	

IMPORTANT INFORMATION ON BACK OF BILL

ուիկինարկիրիկիկիկիկինարհեսկիկորոկիկի

2010 Drinking Water Quality Report North Mississippi Utility Company

Brights (0170002) Eudora (0170006) Chickasaw Bluffs (0170028) Lake of the Hills (0170029)

Is my water safe?

Last year, as in years past, your tap water met all U.S. Environmental Protection Agency (EPA) and state drinking water health standards. Local Water vigilantly safeguards its water supplies and once again we are proud to report that our system has not violated a maximum contaminant level or any other water quality standard.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from?

Our water comes from three wells from the Sparta Sand Aquifer for Brights, two wells from Sparta Sand Aquifer and one well from Lower Wilcox Aquifer for Eudora, two wells from the Sparta Sand Aquifer for Chickasaw Bluffs and two wells from the Sparta Sand Aquifer for Lake of the Hills

Source water assessment and its availability

Currently, our source water assessment is being prepared by the Mississippi State Department of Health. When it is completed you will be notified and copies of this assessment will be made available upon request.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791). The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity: microbial contaminants, such as viruses and bacteria, that

may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses; organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

How can I get involved?

We want our valued customers to be informed about their water utility. If you would like a copy of the Consumer Confidence Report for your area, please come by our office at 1481 Byhalia Rd. Our office hours are 8 AM to Noon and 1 Pm to 4:30 PM Monday through Friday.

Other Information

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2010 - December 2010. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice.

Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. The Bureau of Public Water Supply is taking action to resolve this issue as quickly as possible. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601-576-7518.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. North Mississippi Utility Company is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Water Quality Data Table - Brights (0170002)

	MCLG	MCL,					den en e
<u>Contaminants</u>	or <u>MRDLG</u>	TT, or MRDL	Your <u>Water</u>	Range Low High	Sample <u>Date</u>	<u>Violation</u>	Typical Source
Inorganic Contami	nants						
Antimony (ppb)	6	6	0.0005	NA	2010	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder; test addition.
Arsenic (ppb)	0	10	0.0005	NA	2010	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
Barium (ppm)	2	2	0.018821	NA	2010	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Beryllium (ppb)	4	4	0.0001	NA	2010	No	Discharge from metal refineries and coal-burning factories; Discharge from electrical, aerospace, and defense industries
Cadmium (ppb)	5	5	0.0001	NA	2010	No	Corrosion of galvanized pipes; Erosion of natural deposits; Discharge from metal refineries; runoff from waste batteries and paints
Chromium (ppb)	100	100	0.0003	NA	2010	No	Discharge from steel and pulp mills; Erosion of natural deposits
Cyanide [as Free Cn] (ppb)	200	200	0.005	NA	2010	No	Discharge from plastic and fertilizer factories; Discharge from steel/metal factories
Fluoride (ppm)	4	4	1.5	NA	2010	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories

Mercury [Inorganic] (ppb)	2	2	0.0002	NA	2010	No	Erosion of natural deposits; Discharge from refineries and factories; Runoff from landfills; Runoff from cropland
Nitrate [measured as Nitrogen] (ppm)	10	10	0.35	NA	2010	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Nitrite [measured as Nitrogen] (ppm)	1	1	0.02	NA	2010	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Selenium (ppb)	50	50	0.0005	NA	2010	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines
Thallium (ppb)	0.5	2	0.0005	NA	2010	No	Discharge from electronics, glass, and Leaching from ore-processing sites; drug factories

			Your	Sample	# Samples	Exceeds	
<u>Contaminants</u>	MCLG	<u>AL</u>	Water	<u>Date</u>	Exceeding AL	<u>AL</u>	Typical Source
Inorganic Contaminants							
Copper - action level at consumer taps (ppm)	1.3	1.3	1.3	2007	0	No	Corrosion of household plumbing systems; Erosion of natural deposits
Lead - action level at consumer taps (ppb)	0	15	0.002	2007	0	No	Corrosion of household plumbing systems; Erosion of natural deposits

Water Quality Data Table – Eudora (0170006)

The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the NORTH MS UTILITY_EUDORA is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year that average fluoride samples were within the optimal range of 0.7-1.3ppm was 9. The percentage of fluoride samples collected in the previous calendar year

that was within the optimal range of 0.7-1.3 ppm was 75%.

	MCLG	MCL,					
	or	TT, or	Your	Range	Sample		
<u>Contaminants</u>	MRDLG	MRDL	Water	Low High	<u>Date</u>	<u>Violation</u>	Typical Source
Disinfectants & Dis	sinfection By-	-Product	S	one.			
				ectant is necess	ary for cor	ntrol of micr	obial contaminants.)
Haloacetic Acids (HAA5) (ppb)	NA	60	6	NA	2010	No	By-product of drinking water chlorination
TTHMs [Total Trihalomethanes] (ppb)	NA	80	1.67	NA	2010	No	By-product of drinking water disinfection
Inorganic Contami	nants		English water than the second section and				
Antimony (ppb)	6	6	0.0005	NA	2010	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder; test addition.
Arsenic (ppb)	0	10	0.000246	NA	2010	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
Barium (ppm)	2	2	0.0072	NA	2010	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Beryllium (ppb)	4	4	0.0001	NA	2010	No	Discharge from metal refineries and coal-burning factories; Discharge from electrical, aerospace, and defense industries
Cadmium (ppb)	5	5	0.0001	NA	2010	No	Corrosion of galvanized pipes; Erosion of natural deposits; Discharge from metal refineries; runoff from waste batteries and paints
Chromium (ppb)	100	100	0.0005	NA	20010	No	Discharge from steel and pulp mills; Erosion of natural deposits
Cyanide [as Free Cn] (ppb)	200	200	0.005	NA	2010	No	Discharge from plastic and fertilizer factories; Discharge from steel/metal factories
Fluoride (ppm)	4	4	1.31	NA	2010	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories

) 10	0.08	NA	2010	No	Runoff from fertilizer use;
			į.		Leaching from septic tanks, sewage; Erosion of natural deposits
1	0.02	NA	2010	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
50	0.0005	NA	20010	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines
2	0.0005	NA	2010	No	Discharge from electronics, glass, and Leaching from ore-processing sites; drug factories
) 50	50 0.0005	0 50 0.0005 NA 5 2 0.0005 NA	0 50 0.0005 NA 20010	0 50 0.0005 NA 20010 No 5 2 0.0005 NA 2010 No

			Your	Sample	# Samples	Exceeds	
<u>Contaminants</u>	MCLG	<u>AL</u>	<u>Water</u>	<u>Date</u>	Exceeding AL	<u>AL</u>	Typical Source
Inorganic Contaminants							
Copper - action level at consumer taps (ppm)	1.3	1.3	0	2007	10	No	Corrosion of household plumbing systems; Erosion of natural deposits
Lead - action level at consumer taps (ppb)	0	15	0.001	2007	0	No	Corrosion of household plumbing systems; Erosion of natural deposits

Water Quality Data Table - Chickasaw Bluffs (0170028)

	MCLG:	MCL,					
	or	TT, or	Your	Ran	ge Sample		
<u>Contaminants</u>	MRDLG	MRDL	Water	Low	<u> High</u> <u>Date</u>	<u>Violation</u>	Typical Source
Disinfectants & Disin	fection By-	Products					
(There is convincing e	vidence that	addition o	of a disin	fectant is	necessary for cor	ntrol of micr	obial contaminants.)
Haloacetic Acids (HAA5) (ppb)	NA	60	6	NA	2010	No	By-product of drinking water chlorination
TTHMs [Total Trihalomethanes] (ppb)	NA	80	1.67	NA	2010	No	By-product of drinking water disinfection
			Your	Sample	# Samples	Exceed	\$
<u>Contaminants</u>	MCLO	<u>AL</u>	<u>Water</u>	<u>Date</u>	Exceeding Al	<u> AL</u>	<u>Typical Source</u>
Inorganic Contamina	nts						
Copper - action level at consumer taps (ppm)	t 1.3	1.3	0.1	2007	10	No	Corrosion of household plumbing systems; Erosion of natural deposits
Lead - action level at consumer taps (ppb)	0	15	0.006	2007	0	No	Corrosion of household plumbing systems; Erosion of natural

- Chemical, Bacteriological and CCR Violation
- Monitoring period 09/01/2010-09/30/2010 Contaminant- Coliform Public notice completed

Water Quality Data Table – Lake of the Hills (0170029)

	MCLG MCL,						
	or TT, or	Your	Range	Sample			
Contaminants	MRDLG MRDL	Water Lo	w <u>High</u>	<u>Date</u> <u>Vi</u>	olation Typi	cal Source	
Disinfectants & Di	sinfection By-Product	3					

(There is convincing e	evidence that	t addition	of a disin	fectant is n	ecessary for cont	rol of m	icrobial contaminants.)
Haloacetic Acids (HAA5) (ppb)	NA	60	6	NA	2010	No	By-product of drinking water chlorination
TTHMs [Total Trihalomethanes] (ppb)	NA	80	1.67	NA	2010	No	By-product of drinking water disinfection

			Your	Sample	# Samples	Exceeds	
<u>Contaminants</u>	MCLG	<u>AL</u>	Water	<u>Date</u>	Exceeding AL	<u>AL</u>	Typical Source
Inorganic Contaminants							
Copper - action level at consumer taps (ppm)	1.3	1.3	0	2007	10	No	Corrosion of household plumbing systems; Erosion of natural deposits
Lead - action level at consumer taps (ppb)	0	15	0.001	2007	.0	No	Corrosion of household plumbing systems; Erosion of natural deposits

Unit Descriptions						
<u>Term</u>	<u>Definition</u>					
ppm	ppm: parts per million, or milligrams per liter (mg/L)					
ppb	ppb: parts per billion, or micrograms per liter (μg/L)					
NA	NA: not applicable					
ND	ND: Not detected					
NR	NR: Monitoring not required, but recommended.					

Important Drinking Water Definitions						
Term	<u>Definition</u>					
MCLG	MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.					
MCL	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.					
TT	TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.					
AL	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.					
Variances and Exemptions	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.					
MRDLG	MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not					

	reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL	MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MNR	MNR: Monitored Not Regulated
MPL	MPL: State Assigned Maximum Permissible Level

******This CCR will not be mailed to each individual customer. You may at anytime come by our office to receive a copy

For more information please contact:

Bill J Roberson

P O Box 362

Hernando, MS 38632

662-429-9509

662-429-6202